UDC 511.4

Parameters Recovering Algorithm for One Class of Irrationalities

A. Yu. Nesterenko

National Research University «Higher School of Economics», Russia, 109028, Moscow, Bol. Trekhsvjatitel'skij per., 1-3/12, build. 8, nesterenko_a_y@mail.ru

In this article we study one class of irrationalities which may be defined as covergent series with rational coefficients. This class contain a lot of well known constants such as $\ln 2$, π , e.t.c. We consider the problem of determination parameters of rational coefficients by rational approximation of irrationality. We deduced the lower and upper bounds and present an algorithm for determination of unknown parameters. Also, we present some results of practical calculations.

Key words: irrationality, rational approximation.

References

1. Bayley D. H. *A Compendium of BBP-type Formulas for Mathematical Constants*. Preprint. April, 2013. Available at: http://crd.lbl.gov/~dhbailey/dhbpapers/bbp-formulas.pdf (Accessed 10, September, 2013).

2. Nesterenko A. Yu. On the statistical properties of some transcendetal numbers. *Uchenye zapiski Orlovskogo gosudarstvennogo universiteta* [Scientific notes of the

Oryol State University], 2012, no. 6, pt. 2, pp. 170-176 (in Russian).

3. Ferguson H. R. P., Bailey D. H., Arno S. Analysis of PSLQ, An Integer Relation Finding Algorithm. *Mathematics of Computation*, 1999, vol. 68, no. 225, pp. 351–369.